



Focusing on Enhanced Performance

**Product Name: KENZOL-DCT/DSG TRANSMISSION FLUID**

KENZOL DCT/DSG TRANSMISSION FLUID is a synthetic transmission fluid developed with synthetic base oils and superior additive technology specially for dual clutch systems. It ensures a flawless gearbox operation with minimal torque loss and wear, and an outstanding fuel economy even in the most severe operating conditions. This product has been developed for Dual Clutch Gear of several manufacturers like VW/Audi, Ford, Volvo, Chrysler, Dodge, Mitsubishi and many others. It is also recommended for use in Dual Clutch Gear DQ-250 (02E) and DQ-500 (0BT) acc. to VW Part-No. G 052 182 and DL-501 (0B5) acc. to VW Part-No. G 052 529 for S-Tronic of VW, Audi, Seat and Skoda.

**FEATURES & BENEFITS:**

- Low pour point guarantees excellent performance in extreme winter temperatures
- Superior additive technology provides outstanding anti-friction, anti-corrosion and anti-wear properties for the gear couplings.
- Thermal stability ensures longer life and reduced maintenance costs.
- Low foaming even in the most extreme conditions
- Excellent seal compatibility.



Focusing on Enhanced Performance

Product Name: **KENZOL-DCT/DSG TRANSMISSION FLUID**

Performance Level: Recommended for the below performance levels/grades

- VOLKSWAGEN G 052 182
- VOLKSWAGEN G 052 529
- VOLKSWAGEN 6-speed
- BMW 83 22 2 148 578
- BMW 83 22 2 148 579
- BMW 83 22 0 440 214
- BMW 83 22 2 147 477
- BMW Drive logic 7-speed (Getrag)
- BMW DCTF-1/ DCTF-1+
- BMW 6-speed DCT
- BMW MTF-LT-5
- FORD WSS-M2C936-A
- NISSAN WSS-M2C936-A
- CHRYSLER 68044345 EA&GA
- CHRYSLER Powershift 6-speed (Getrag)
- MB 236.21
- MB 001 989 85 03
- MITSUBISHI MZ320065
- MITSUBISHI TC-SST 6-speed (GFT)
- PORSCHE 999.917.080.00
- RENAULT EDC 6 -Speed (Getrag)
- RENAULT EDC-7
- PSA 9734.S2
- RENAULT Talisman R7D
- PSA 9734.S2
- PEUGEOT DCS 6-speed (GFT)
- VOLVO 1161838
- VOLVO 1161839
- FERRARI 7-Speed (Getrag)
- FERRARI TF DCT-3
- PENTOSIN FFL -8
- CITROEN BOT 341
- CITROEN BOT 450
- Other SHELL TF DCT -F3
- BORG\_WARNER



Focusing on Enhanced Performance

Product Name: **KENZOL-DCT/DSG TRANSMISSION FLUID**

SAE Grade API Grade	Method	DEX VI
Appearance	Visual	Bright & Clear
Density @15° C, gm/ml	ASTMD-1298	0.850
Color	ASTM D-1500	RED
Viscosity @40° C, cSt	ASTMD-445	7.0
Viscosity @100° C, cSt	ASTMD-445	33.20
Viscosity Index	ASTM D-2270	179.526
Flash point, COC, ° C	ASTM D-92	218
Pour point, ° C	ASTM D-97	-48