



Focusing on Enhanced Performance

**Product Name: KENZOL-POWER STEERING FLUID**

KENZOL-POWER STEERING FLUID is synthetic long-life hydraulic power steering fluid designed especially for power steering fluid applications. It is also suitable for hydraulic clutches, convertible tops (electro-hydraulic), hydro-pneumatic suspension units and hydraulic actuator systems fitted to some modern dual-clutch transmissions. The usage of the highest quality base oils, additives and inhibition ensures the most optimal performance even in the most severe operating conditions.

**FEATURES & BENEFITS:**

- Excellent low temperature performance.
- Outstanding anti-wear and anti-corrosion properties thus providing an extended life for transmission systems.
- Thermally stable even in the most extreme operating conditions.
- Prevention of clutch shudder through anti-frictional properties.
- Excellent seal compatibility.



Focusing on Enhanced Performance

Product Name: **KENZOL-POWER STEERING FLUID**

Performance Level: Recommended for the below performance levels/grades

- Chrysler: MS-1872
- Chrysler: MS-5931, P/N 04883077
- Chrysler: MS-9602, ATF+2. ATF+3. ATF+4
- Chrysler MS-11655
- Daihatsu Ammix: ATF D3-SP , ATF Z-1
- Ford: M2C195-A
- Ford: M2C204-A
- GM: Dexron IID, III
- GM: P/N 88901975, 89021184,
- GM: 9985010, P/N 1052884
- GM: 9985835, P/N 12345866
- GM: HN 2305
- Hyundai / Kia: PSF-3
- Hyundai / Kia: PSF-4
- Mercedes Benz: 236.3, 345.0
- Mitsubishi: PS Fluid
- Mitsubishi: Diamond SP III
- Mazda: M-III
- Nissan: PSF-II
- Pentosin: CHF 11S
- Saab:(45) 30 09 800
- Saab:30 32 380
- Subaru:K0209a0080
- Texaco: Cold Climate Fluid 33270
- Toyota:PSF Type EH, P/N 008886-01
- VW:G 002 000/G 002012
- VW:TL 52146
- Volvo:1161529
- VW TL 521 46(G002 000,G004 000 M2)
- Mercedes-Benz MB 343.0
- Mercedes-Benz MB 344.0
- Opel 1940766
- Ford M2C204-A2
- Ford 1384110
- ZF TE-ML 02K
- BMW 83 29 0429 576
- Citroen 9979 A1
- Land Rover Cold Climate PAS Fluid 14315
- LRN2261
- VW G 052 182 A2 / G 055 529 A2/G 055 532
- Castrol BOT 350 M3
- Ford WSS-M2C 200-D2/D3



Focusing on Enhanced Performance

Product Name: **KENZOL-POWER STEERING FLUID**

SAE Grade	Method	POWER STEERING FLUID
API Grade		
Appearance	Visual	Bright & Clear
Density @15° C, gm/ml	ASTM D-1298	0.869
Color	ASTM D-1500	RED
Viscosity @40° C, cSt	ASTM D-445	6.62
Viscosity @100° C, cSt	ASTM D-445	30.79
Viscosity Index	ASTM D-2270	179
Flash point, COC, ° C	ASTM D-92	200
Pour point, ° C	ASTM D-97	>-42